

UNIVERSITI TUN HUSSEIN ONN MALAYSIA

FINAL EXAMINATION SEMESTER II SESSION 2015/2016

COURSE NAME

COMPUTER PROGRAMMING

COURSE CODE

BFC 20802

PROGRAMME CODE :

BFF

EXAMINATION DATE :

JUNE / JULY 2016

DURATION

2 HOURS 30 MINUTES

INSTRUCTION :

1. ANSWER ALL QUESTIONS IN

SECTION A AND B.

2. CHOOSE ONLY **ONE** (1)

QUESTION IN SECTION C

THIS QUESTION PAPER CONSISTS OF EIGHT (8) PAGES

CONFIDENTIAL

SECTION A

Q1 Please answer T (True) or F (False).

(10 marks)

	Questions	TRUE	FALSE	
a	ROM stands for Read-only memory.			
b	RAM & ROM enable a computer to send and receive data, instruction and information.			
С	Source code of the program can be compiled even syntax error is found, which is the advantage of using C++ language as compared to C language.			
d	Manipulator "endL" is used to advance the cursor to the beginning of the next line.			
e	Basic types of control structure are sequential, selection and repetition.			
f	The following code will not give an error. Int main () { const double G = 9.81; double weight, mass cout << "This program calculates the weight of an object.\n"; cin >> mass; weight = mass * G cout << "The weight of this object is" << weight << endl; return 0; }			
g _D	The flowchart for selection structure is as shown condition False Repeated action			
h	Any of the expressions followed by a semicolon are variables.			
i	Binary numbers are 10101000023010.			
j	Flags is a variable that signals a condition.			

SECTION B

Instruction: Answer ALL questions.

Q2 State whether the following variable names are valid or invalid. If they are invalid, state the reason.

(6 marks)

No	Variable	Answer
a	¥total	
b	5hands	
С	total.gst	
d	peak_hour	
e	using	
f	char	

Q3 Given x = 55, what are the values of each of the following expressions.

(4 marks)

No	Expression	Answer
a	x%5	
b	(x/5)%10	
С	x/55	
d	x/(55%10)+x	

Q4 Convert the following *if* statement to flowchart.

(5 marks)

```
if(x==1)
    cout<<x;
else
    cout<<y</pre>
```

Q5 Trace all errors in the following program.

(5 marks)

```
//Program 2
 1
 2
    #include <iostem>
 3 #include <iomanip>
   using namespace std;
 5
   int main()
 6
 7
   double num1, num2 total;
 8
   num1 = 3;
 9 num2 = 1.32;
10 total = num1 + num2
11 cout >> "Total:";
12 cout << setprecision(2) << total;</pre>
13
   return 0;
14
```

Q6 Define the output and draw a flow chart for the following program.

(10 marks)

```
Program Code
                                          Output
#include <iostream>
using namespace std;
int main()
   int count = 5;
   cout << count << endl;</pre>
   count++;
   cout << count << endl;</pre>
   ++count;
   count -= 6;
   cout << count << endl;</pre>
   cout << count++ << endl;
   cout << --count << endl;</pre>
   cout << count++;</pre>
   cout << endl;
   count = count * 3;
   cout << count << endl;
   return 0;
```

- Q7 Write a single C++ statement or line that accomplishes each of the followings:
 - (a) Assign the division operator of variables P and A to variable σ .

(1 mark)

(b) Print the message "Total for three digits".

(1 mark)

(c) Instead of a = a + 1, we can write using increment operator as

(1 mark)

(d) Input four integer values from the keyboard into integer variables a, b, c and d.


(1 mark)

(e) Add x with 2, square root it and stored into y.

(1 mark)

Q8 Based on the given flowchart, identify the output of the average of odd numbers from 1 to 9. Construct the algorithm based on the flow chart.

(10 marks)



Q9 Define the conditional statement and give a suitable example for it.

(5 marks)

Q10 Write a C++ program to find the output of the following series:

sum = R -
$$\frac{x^3}{5!}$$
 + $\frac{x^5}{7!}$ + $\frac{x^7}{9!}$ + $\frac{x^n}{(n+2)!}$

(10 marks)

CONFIDENTIAL

BFC 20802

SECTION C

Construct a flowchart and write a complete C++ code which will ask user to key in the pH level of a water sample to find out its pH range and biological effects according to **Table 1** to decide whether a solution is very acidic, acidic, neutral, alkaline, or very alkaline.

(30 marks)

Create a flowchart and write a complete C++ code that calculates the loan information of a car loan as shown in **Table 2**. The flowchart and C++ code should be able to provide the user to enter the amount and the number of years of the loan. Each loan will be charged with 3% interest per year.

(30 marks)

FINAL EXAMINATION

SEMESTER / SESSION : SEM II / 2015/2016

COURSE NAME : COMPUTER PROGRAMMING

PROGRAMME CODE: BFF

COURSE CODE : BFC 20802

Table 1

pH range	Type of solution	Biological effetcs
0-2	Very acidic	All fish die
3-6	Acidic	most fish die
7	Neutral	Optimum for most fish
8-11	Alkaline	Most fish die
12-14	Very alkaline	All fish die

Table 2

Enter the amount of loan: 90000 Enter the number of years: 7

LOAN INFORMATION:

Total Interest : RM 18900.00

Total Payment : RM 108900

Monthly Payment : RM 1296.43